



## OLIVER

905950FMB-LWD

OLIVER 50" LED SMART FAN

DETAILS	
FAN FINISH:	Matte Black
GLASS:	Polycarbonate Lens
BLADE COUNT:	3
SLOPE DEGREE:	20

DIMENSIONS	
WIDTH:	50"
HEIGHT:	18"
WEIGHT:	24.2lb

LIGHT SOURCE	
VOLTAGE:	120v

MOUNTING	
CANOPY:	6" Dia.
LEAD WIRE:	1 X 76"

SHIPPING	
CARTON LENGTH:	29.1
CARTON WIDTH:	16.8
CARTON HEIGHT:	9.3
CARTON WEIGHT:	26.4

Sleek and eye-catching, Oliver's etched opal dome conceals integrated LEDs engineered to maximize light output. Slender blades are complemented by traditional styling and classic two-tone finishes. Wet-rated design is suitable for both interior and outdoor settings. Equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley App.

### PRODUCT DETAILS:

- Classic, elegant lines and timeless details enhance a traditional space
- Fan Control included, HIRO Control - 6 Speed Reversing
- For more information on how to control your ceiling fan via the Hinkley Home Automation App, [click here](#).
- This item may be hung on a sloped ceiling
- Suitable for use in wet (outdoor direct rain) locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards
- WiFi compatible with included fan control
- LED components carry a 5-year limited warranty
- This item includes a 6" down rod. Other various lengths of down rods are available and sold separately to customize the installation height.

# HINKLEY

HINKLEY  
33000 Pin Oak Parkway  
Avon Lake, OH 44012

PHONE: (440) 653-5500  
Toll Free: 1 (800) 446-5539

[hinkley.com](http://hinkley.com)

# OLIVER 50" LED SMART FAN

905950FMB-LWD

PERFORMANCE SPECIFICATIONS	STANDARD	
	HIGH SPEED	AVERAGE SPEED
Airflow	5235	3397
EnergyUse	28	19
EnergyCost	7.85	5
Efficiency	187	176
AMPS	0.38	0.22
RPMS	170	108

---

**HINKLEY**

**HINKLEY**  
33000 Pin Oak Parkway  
Avon Lake, OH 44012

**PHONE: (440) 653-5500**  
Toll Free: 1 (800) 446-5539

**hinkley.com**