

UNA

905644FMW-LDD

UNA 44" LED FAN

| DETAILS | |
|---------------|-------------|
| FAN FINISH: | Matte White |
| GLASS: | Etched Opal |
| BLADE COUNT: | 3 |
| SLOPE DEGREE: | 20 |

| DIMENSIONS | |
|------------|--------|
| WIDTH: | 44" |
| HEIGHT: | 15" |
| WEIGHT: | 10.6lb |

| LIGHT SOURCE | |
|--------------|------|
| VOLTAGE: | 120v |

| MOUNTING | |
|------------|---------|
| CANOPY: | 6" Dia. |
| LEAD WIRE: | 1 X 56" |

| SHIPPING | |
|----------------|------|
| CARTON LENGTH: | 29.1 |
| CARTON WIDTH: | 8.9 |
| CARTON HEIGHT: | 9.1 |
| CARTON WEIGHT: | 12.3 |

Una's modern, Scandinavian style is defined by its clean design and sleek functionality. The long, slightly tapered blades paired with the rounded light kit contribute to the striking profile. Una is equipped with a 6-speed DC motor that is WiFi enabled and ready to connect right out of the box. Operated by the HIRO control or WiFi compatible with the Hinkley app. Damp rated, it's a versatile indoor/outdoor fan style to fit any application.

PRODUCT DETAILS:

- Fan Control included, HIRO Control - 6 Speed Reversing
- Suitable for use in damp locations as defined by NEC and CEC. Meets United States UL Underwriters Laboratories & CSA Canadian Standards Association Product Safety Standards.
- For more information on how to control your ceiling fan via the Hinkley Home Automation App, [click here](#).
- This item may be hung on a sloped ceiling
- WiFi compatible with included fan control
- LED components carry a 5-year limited warranty
- This item includes a 6" down rod. Other various lengths of down rods are available and sold separately to customize the installation height.
- Powered by a highly efficient and quiet DC motor

HINKLEY

HINKLEY
33000 Pin Oak Parkway
Avon Lake, OH 44012

PHONE: (440) 653-5500
Toll Free: 1 (800) 446-5539

hinkley.com

UNA 44" LED FAN

905644FMW-LDD

| PERFORMANCE SPECIFICATIONS | STANDARD | |
|----------------------------|------------|---------------|
| | HIGH SPEED | AVERAGE SPEED |
| Airflow | 5504 | 3452 |
| EnergyUse | 39.9 | 26 |
| EnergyCost | 11 | 7 |
| Efficiency | 138 | 133 |
| AMPS | 0.56 | 0.3 |
| RPMS | 200 | 123 |